

To Cite:

Udom GJ, John PN. Geotechnical properties of foundation sub-soils in part of Port Harcourt city and Obio/Akpor, Rivers State, Nigeria. *Indian Journal of Engineering*, 2023, 20, e29ije1662
doi: <https://doi.org/10.54905/disssi/v20i54/e29ije1662>

Author Affiliation:

Department of Geology, University of Port Harcourt, Nigeria

Peer-Review History

Received: 20 May 2023

Reviewed & Revised: 24/May/2023 to 24/June/2023

Accepted: 28 June 2023

Published: 6 July 2023

Peer-Review Model

External peer-review was done through double-blind method.

Indian Journal of Engineering

pISSN 2319-7757; eISSN 2319-7765



© The Author(s) 2023. Open Access. This article is licensed under a [Creative Commons Attribution License 4.0 \(CC BY 4.0\)](http://creativecommons.org/licenses/by/4.0/), which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

Geotechnical properties of foundation sub-soils in part of Port Harcourt city and Obio/Akpor, Rivers State, Nigeria

Udom GJ, John PN

ABSTRACT

The study was carried out with the objectives of determining the stratification, geotechnical index properties of the soils in part of Port Harcourt city and Obio/Akpor local Government Area, Rivers state. Field Exploration and laboratory studies of soils samples were obtained from 0-20.25m deep. Subsurface soil profiles were delineated followed by determination of their index and mechanical properties, including Atterberg limits, particle sizes distribution, undrained shear strength, shear box test and consolidation coefficient. Results reveal overlying light brown sandy clay, soft to firm consistency, clay thickness vary from 9.0 to 13.5m. Beneath this overburden lie yellowish brown to light grey fine to medium to coarse grained sand, loose to medium dense to dense consistency and poorly graded sand, thickness vary from 6.75 to 11.25m. The clays show low to intermediate clay plasticity (CL-CI). The shear strength parameters of these c- soils gave values range of 40-60KN/m². Allowable bearing capacities for the shallow foundation and bored pile foundation analysis was also carried out for the soil profiles with diameter 306, 406, 460 and 600mm for the deep foundation for various study areas were calculated.

Keyword: Geotechnical index properties, Stratification, Allowable bearing capacities, pile foundation, Port Harcourt city and Obio/Akpor

1. INTRODUCTION

Foundation is the lower hidden part of the structure, which carry large amount of load from the superstructure and distribute it to the soil. The foundation should be sound enough to carry the load of the superstructure. The reason for most collapse building is ascribed to poor quality building material, while thus may be true, less attention is paid on the sub-surface soil condition that bears the foundation (Rowland-Lato and Youdeowei, 2019).

The need for accurate information and adequate understanding of the geotechnical properties of the foundation of sub-soil cannot be over

emphasized. Geotechnical information is useful in ensuring that the effect of projects on the environment and natural resource are properly evaluated and mitigated where necessary (Nwankwoala et al., 2009). It is on this basis that this study was undertaken to ascertain the engineering characteristic of the sub-soil.

Description of Study Area/Geology

The study area (Figure 1) is located within Port Harcourt city and Obio/Akpor local Government area of Rivers state, Nigeria. It lies within a sub-horizontal geomorphologic train with a measure of undulations among from uneven surface area erosion. Ground elevation range between 5 to 15 meters above mean sea level. The geology of the Niger delta is obtained from the works of several writers. There are drainage problems with seasonal and temporary flooding due to heavy rainfall and rise in ground water table at okilton drive NTA /Mgbuoba road, Obio/Akpor local government area.




Figure 1 Map of the study area in Rivers state

Study Location Coordinate

The study locations coordinate for the various boring as in (Table 1).

Table 1 Showing the Coordinates of the studied locations in Rivers state

Location	Northing	Easting
BH1	04°81'48.43"	006°98'43.536"
BH2	04°84'39.718"	006°98'26.0118"
BH3	04°46'63.4°	006°58'49.451"

2. METHODOLOGY

Field Exploration/Laboratory analysis

Subsurface data from three (3) locations: Comprising of one from Andoni junction, Port Harcourt city and one (1) each from Okilton drive NTA/Mgbuoba road and formal school of nursing all within Obio/Akpor local government area, Rivers state. The study area was studied through ground borings to depths of 20.25m each using a light cable percussion boring rig. Both disturbed and undisturbed soil samples were collected for visual examination, laboratory testing and classification. Also, standard penetration tests (SPT) was carried out to determine the penetration resistance of cohesionless strata at specific depths within the boreholes as the boring progresses.

Series of classification and mechanical property tests were conducted on representative soil samples. They include Atterberg limit tests, particle size analysis test, natural moisture content test, unit weight test, unconsolidated undrained triaxial test and consolidation test etc. All the tests followed standard procedures of testing soils for civil engineering purpose.

Bearing capacity analysis for shallow foundation

The ultimate bearing capacity, Q_u , for shallow square footing on cohesive soils encountered at the study area using Terzaghi, (1943) equation as modified for shape factor is given below as:

$$Q_u = 0.867cN_c + \gamma \cdot D_f \cdot N_q + 0.4 \gamma \cdot B \cdot N_\gamma \quad (1)$$

Where:

Q_u = Ultimate bearing capacity

C = Soil cohesion at the studied depth

D_f = Depth of foundation

B = Foundation width

L = Length of foundation footing

γ = Unit weight of soil at the depth

N_c, N_γ, N_q = Bearing Capacity factors

Bearing capacity analysis for deep foundation

The pile bearing capacity, Q_u of bored piles is determined by the equation below derived from American Petroleum Institute API (1998).

$$Q_u = Q_s + Q_b \quad (2)$$

$$Q_u = f_s \cdot A_s + f_b \cdot A_b \quad (3)$$

$$Q_u = \delta_v' \cdot K_s \cdot \tan \phi \cdot A_s + \delta_{vb}' \cdot N_q \cdot A_b \text{ (For sand layers)} \quad (4)$$

$$Q_u = \alpha \cdot \acute{c}_u \cdot A_s + C_u \cdot N_c \cdot A_b \text{ (For clay layer)} \quad (5)$$

Where:

Q_u = Ultimate axial pile capacity

Q_s = Ultimate shaft resistance

Q_b = Ultimate base resistance

f_s = Unit shaft resistance

f_b = Unit base resistance

δ_v = Average effective overburden pressure over soil layer

K_s = Coefficient of lateral earth pressure against shaft wall

α = Pile wall adhesion factor

\acute{c}_u = Average undrained shear strength of the clay over the pile penetration depth considered

δ_{vb}' = Effective overburden pressure at the pile base

C_u = Undrained shear strength of the clay at the pile base

A_b = Cross-sectional area of pile base

N_c, N_q = Bearing capacity factors

A_s = Exposed area of pile shaft in the soil layer

δ = Effective interaction angle between pile wall and the soil ($\delta \approx 75^\circ$)

Settlement of the upper clay layer

Immediate settlement

Immediate foundation settlement of the different soil was calculated from the expression of Tomlinson, (2001)

$$S_i = \frac{Bq_n}{E} (1 - \mu_s^2) I_p \quad (6)$$

Where

S_i = Immediate settlement

B = Breadth of foundation

q_n = Net foundation pressure

E = Modulus elasticity

μ = Poisson ratio

I_p = Influence factor

I_r = Influence factor is used.

$E/c_u = 400$

Consolidation Settlement on Upper Clay Layer

Consolidation settlement (q_c) in the cohesive layer was computed based on the foundation breadth (B) subjected to a bearing pressure of the soil. The induced vertical stress ($\Delta\sigma$) at the centre of the consolidating was used in computing q_c . The settlement value was computed from the expression given by Skempton and Bjerrum, (1957) as follows:

$$q_c = \mu_g q_{oed} \quad (7)$$

$$= m_v \Delta\sigma_z H \quad (8)$$

$$= m_v 0.55 q_n H$$

Where

μ_g = Coefficient which depends on the type of clay

q_{oed} = Settlement as calculated from oedometer tests

m_v = Coefficient of volume compressibility

q_n = Net foundation pressure

H = Thickness of the considering layer ($1.5B$)

B = Breadth of foundation.

3. RESULTS AND DISCUSSION

Engineering Properties of the Soil

The geotechnical characteristics of the soil and the engineering attributes of the properties of the soil were determined from the laboratory and field work. The relevant index and engineering parameter of the soil are in (Table 2).

Table 2 Geotechnical Index Properties of Sandy clay in Port Harcourt city and Obio/Akpor

Locations	BH1			BH2			BH3		
Parameter	Min	Max	Avg.	Min	Max	Avg.	Min	Max	Avg.
W _n %	19.6	25.0	22	22.8	25.4	24.0	20.7	22.8	21.8
LL %	32.0	37.0	34	47	50	49	38	41	40
PL %	19.0	23.0	21	26	29	28	23	23	23
PI %	14.0	15.0	15	21	22	22	15	18	17
USCS	CL	CI		CI	CI		CI	CI	
Cu (KN/m ²)	40	60	50	40	50	45	40	47	44
ϕ (°)	4	7	6	3	4	4	3	5	4

Unit Weight (KN/m ³)	20.1	20.5	20.3	18.9	19.8	19.4	20.1	20.6	20.3
C _v (m ² /yr)	52.35	52.35	52.4	42.4	42.4	42.4	34.7	34.7	34.7
M _v (m ² /MN)	0.21	0.21	0.21	0.23	0.23	0.23	0.20	0.30	0.30

Table 3.0: Geotechnical Index Properties of Sandy soil in Port Harcourt City and Obio/Akpor

LOCATIONS	BH1			BH2			BH3		
Parameter	Min	Max	Avg.	Min	Max	Avg.	Min	Max	Avg.
d ₁₀ (mm)	0.20	0.23	0.22	0.20	0.23	0.17	0.22	0.32	0.27
d ₃₀ (mm)	0.26	0.33	0.30	0.27	0.30	0.29	0.31	0.44	0.38
d ₆₀ (mm)	0.34	0.50	0.42	0.36	0.44	0.40	0.46	0.59	0.53
C _u = $\frac{d_{60}}{d_{10}}$	1.7	2.2	1.95	1.8	1.9	1.9	1.8	2.1	1.95
C _c = $\frac{d_{30}}{d_{10}d_{60}}$	0.9	1.0	0.95	0.9	1.0	0.95	0.9	1.0	0.95
Unit weight KN/m ³	19.6	20.2	19.9	18.5	20.8	19.7	20.4	20.9	20.7
Dry Unit weight KN/m ³	16.8	17.5	17.2	16.0	17.5	16.8	17.6	17.8	17.7
MC %	16.6	18.5	17.6	15.2	18.7	17.0	16.3	17.4	16.9
Ø (°)	29	33	31	30	30	30	30	31	31
N value	7	45	26	18	33	26	15	19	17

Table 4 Bearing Capacity Values KN/m² for Square Foundation for School of Nursing Rumueme

Foundation Depth (m)	Ultimate Bearing Capacity	Allowable Bearing Capacity
1.0	218	73
2.0	218	73
3.0	302	101

Table 5 Total Settlement (mm) for Square Foundation: School of Nursing, Rumueme- BH1

Foundation Depth (m)	B = 1.0	B = 2.0	B = 3.0
1.0	16	32	47
2.0	16	32	47
3.0	20	40	59

Table 6 Bearing Resistance Values KN/m² for Square Foundation: Okilton Drive junction. NTA-Rumuokwuta BH2

Foundation Depth (m)	Ultimate Bearing Capacity	Allowable Bearing Capacity
1.0	207	69
2.0	216	72
3.0	275	92

Table 7 Total Settlement (mm) for Square Foundation: Okilton drive junction NTA-Rumuokwuta- BH2

Foundation Depth	B = 1.0	B = 2.0	B = 3.0
1.0	16	32	48
2.0	16	33	49
3.0	20	41	61

Table 8 Bearing Capacity Values KN/m² for Square Foundation: Adoni Junction, Eagle Island

Foundation Depth	Ultimate Bearing Capacity	Allowable Bearing Capacity
1.0	242	81
2.0	262	87
3.0	263	88

Table 9 Total Settlement (mm) for Square Foundation: Andoni Junction, Eagle Island- BH3

Foundation Depth (m)	B = 1.0	B = 2.0	B = 3.0
1.0	18	46	69
2.0	25	49	74
3.0	48	49	74

Table 10 Showing the Ultimate Pile Capacity and Pile safe Working Load and Depth for School of Nursing, Rumueme BH 1

Pile Foundation	Diameter (m)							
	Pile Compressive Resistance (KN)							
Depth (mm)	306	306	360	360	406	406	600	600
10	428	171	534	214	631	253	1116	446
15	475	190	587	235	688	275	1183	473
20	966	386	1236	494	1490	596	2797	1119

Table 11 Showing the various Ultimate Pile capacity and Pile safe Working Load and Depth for Okilton Drive junction. NTA- Rumuokwuta BH 2

Pile Foundation	Diameter (m)							
	Pile Compressive Resistance (KN)							
Depth (mm)	306	306	360	360	406	406	600	600
10	302	121	416	166	473	189	723	290
15	557	223	689	276	809	323	1394	557
20	913	365	1162	465	1397	559	2598	1039

Table 12 Showing the various Ultimate Pile bearing capacities and Pile safe Working Load and Depth for Andoni Junction, Eagle Island BH 3

Pile Foundation	Diameter (m)							
	Pile Compressive Resistance (KN)							
Depth (mm)	306	306	360	360	406	406	600	600
10	245	98	292	117	334	133	518	207
15	645	258	804	321	950	380	1796	718
20	927	371	1159	464	1372	549	2580	1032

Discussion

Soil Classification/Stratification

This is obtained from the boring data and laboratory tests. Classification tests revealed the plastic soils as generally consisting of soft to firm to stiff, light brown, sandy CLAY of low to intermediate plasticity, underlain by loose to dense, fine to medium to coarse grained SAND for BH1, soft to firm to firm, light brown, sandy CLAY of intermediate plasticity, underlain by medium dense to dense, fine to medium to coarse grained SAND for BH2 and firm to soft to firm, light brown, sandy CLAY of intermediate plasticity, underlain by medium dense, fine to medium to coarse grained SAND for BH3 as in (Figure 2). Underneath the sandy clay is a continuous layer of relatively clean sand which is poorly graded in all the study area as on (Table 3) (Figure 3).

CROSS-SECTION AND STRATIGRAPHIC OF BOREHOLES IN PORT HARCOURT & OBIO/AKPOR




Figure 2 Cross section and Stratigraphic of the study Areas




Figure 3 Particle Size Distribution of the study Areas

Bearing capacity

Both shallow square footing and deep pile foundation analysis for bored pile have been carried out for the study area within Port Harcourt city and Obio/Akpor. From the shallow foundation analysis, the allowable bearing capacities of the square footing with width of 1.0 to 3.0m and depth of 1.0 to 3.0m for the various study areas within Port Harcourt city and Obio/Akpor are as follow: For BH1 reveals allowable bearing capacity as in (Table 5) ranges from 73 to 101KN/m² with total settlement range of 16 to 59mm. For BH2 reveals allowable bearing capacity as in (Table 6) ranges from 69 to 92 KN/m² with total settlement values range of 16 to 61mm as in (Table 7) and for BH3 reveals allowable bearing capacity as in (Table 8) ranges from 81 to 88 KN/m² with total settlement of 18 to 74mm as in (Table 9).

Where the foundation footings are too close to each other in the various study area, the option of a raft foundation may be considered. The shallow foundation is guided by the allowable maximum settlement suggested by Skempton and Macdonald for isolated foundation 65mm, 65-100mm for raft on clay. Pile foundation analysis was determined for the soil profile that was encountered on the study areas. Bored piles of diameters of 306,360,406 and 600mm within depth of 10, 15 and 20m were designed. Safe pile load capacity for the various study areas are in (Table 10 to 12). The calculated safe load capacity of piles should be used where the bearing capacity is not adequate for the proposed structure or high-rise building is to be built.




Figure 4 Typical Chart for the Safe Load Capacity of Pile for BH2

4. CONCLUSION

The following conclusion can be drawn from the study areas in Port Harcourt city and Obio/Akpor local government area.

The field investigation revealed that the study area comprise of two distinct soil layers soil types namely sandy CLAY and sand and there thickness vary from one study area to another.

The sub-soil in the study areas show low to immediate plasticity (CL-CI)

The shear strength of study areas ranges from firm to soft to firm

Evaluated bearing capacity values for (B) width equal 3.0m for Andoni junction Eagle Island did not satisfy the maximum allowable settlement for pad footing foundation.

Ethical issues

Not applicable.

Informed consent

Not applicable.

Funding

This study has not received any external funding.

Conflict of Interest

The author declares that there are no conflicts of interests.

Data and materials availability

All data associated with this study are present in the paper.

REFERENCES AND NOTES

1. Nwankwoala HO, Youdeowei PO, Ngah SA. Expanding Hydrogeotechnical Considerations in Environmental Impact Assessment Studies: A Case Study of Ogorode- Sapele, Delta State, Nigeria. J Appl Sci Environ Mange 2009; 13(1):6 7-71.
2. Rowland-Lato EO, Youdeowei PO. Geotechnical Investigation of a Collapse Building site in Port Harcourt, Rivers State, Nigeria. Int J Eng Res Tech 2019.
3. Skempton AW, Bjeruum L. A Contribution to the Settlement Analysis of Foundation on Clays. Geotechnique 1957; 7:168-178.
4. Terzaghi K. Theoretical Soil Mechanics, John Wiley and Sons Inc. New York, USA 1943.
5. Tomlinson MJ. Foundation Design and Construction (7th edition). Pearson Education Ltd 2001; 73-74.