



Predictability study of forced Lorenz model: an artificial neural network approach

Uday Pratap Singh¹, Mittal AK², Suneet Dwivedi³, Anurag Tiwari⁴

1.K. Banerjee Centre of Atmospheric and Ocean Studies, University of Allahabad, Allahabad, India; Email: erdev.8@gmail.com

2.Department of Physics, University of Allahabad, Allahabad, India; K. Banerjee Centre of Atmospheric and Ocean Studies, University of Allahabad, Allahabad, India; M. N. Saha Centre of Space Studies, University of Allahabad, Allahabad, India; Email: mittals79@hotmail.com

3.K. Banerjee Centre of Atmospheric and Ocean Studies, University of Allahabad, India; M. N. Saha Centre of Space Studies, University of Allahabad, Allahabad, 211002, India; Email: suneetdwivedi@gmail.com

4.K. Banerjee Centre of Atmospheric and Ocean Studies, University of Allahabad, Allahabad, India; Email: anurag9369@gmail.com

Publication History

Received: 11 June 2015

Accepted: 05 August 2015

Published: 1 September 2015

Citation

Uday Pratap Singh, Mittal AK, Suneet Dwivedi, Anurag Tiwari. Predictability study of forced Lorenz model: an artificial neural network approach. *Discovery*, 2015, 40(181), 27-33

Publication License



© The Author(s) 2015. Open Access. This article is licensed under a [Creative Commons Attribution License 4.0 \(CC BY 4.0\)](https://creativecommons.org/licenses/by/4.0/).

General Note



Article is recommended to print as color digital version in recycled paper.

ABSTRACT

The Lorenz, 1963 model is a simple model that exhibits features such as nonlinear chaotic behavior and the existence of regimes similar to the actual climate system. It can be used for studying the predictability of climate. The Lorenz model has been forced by an external forcing in order to imitate anthropogenic forcing in the climate system. It also has relevance to monsoon predictability. Inclusion of forcing and moving average has been shown to increase the predictability of the Lorenz model. Statistical methods, such as the Artificial Neural Network (ANN) are often used for making predictions. In this study, we explore how the predictability, using ANN, of Lorenz data is affected by external forcing and moving average. It is hoped that such a study can throw some light on the effect of anthropogenic forcing on climate predictability. Three ANN architectures have been used for this purpose, namely – Feed Forward Back Propagation Neural Networks (MLP), Distributed Time Delay Neural Network and Nonlinear Auto Regressive Neural Network. None of the architectures revealed any change in predictability due to external forcing but the moving average results to increase in the overall predictability of the system. It is also shown that the predictability of the Lorenz data using ANN is

independent of the local dynamics of the system. This study suggests that because of the low computational cost of ANN and its non-dependence on local dynamics of the system, ANN may be more appropriate for short term climate prediction in regions of high dynamical error growth rate.

Keywords: Chaos; Nonlinear Dynamics; Forced Lorenz Model; Climate Prediction; Moving Averages; Artificial Neural Network.

1. INTRODUCTION

The Lorenz-63 model is considered as a basic model that shows the chaotic behaviour similar to the climate system (Lorenz, 1963). There are various studies, which have shown that the forcing as well as time averaging results in increase in predictability (Shukla 1981, Palmer 1993, Dwivedi et.al. 2007, Li Ai-Bing et.al. 2012). The study by Mittal et. al. 2003 has shown that the forced Lorenz model is relevant to the monsoon predictability by considering the forcing function to represent the rate of advancement of monsoon trough towards the Bay of Bengal/foothills of Himalayas.

The dynamical method like Bred vector growth rate to study the local predictability of Lorenz attractor has shown the existence of regions of distinct predictability (Evans et. al. 2004). Similar types of regions of dynamical error growth and decay have been also evident by using eigenvalues of symmetric Jacobian matrix (Mittal et. al. 2015). These regions of dynamical error growth and decay suggest that there are regions, in the attractor, which are highly predictable while the other is less predictable. In the study by Mittal et. al. 2015, it has been observed that the prediction error by using statistical methods do not depend on the state of the system because the statistical method predicts the state of the system by using values of past observables. The statistical methods have predicted the time series of the Lorenz model with the similar accuracy for both regions of error growth and decay.

The statistical method, like Artificial Neural Network (ANN), is widely being used for time series prediction of physical and natural processes. The intent of the prediction is to determine the future behavior of the system on the basis of past behavior of the system (Oullette & Wood, 1998). The ANN has been proven to be a useful technique for prediction of complex time series because of its ability to determine law governing the evolution of the system from regularities in the past (Gershenfeld and Weigend 1993, De Gooijer and Hyndman 2006, Hatalis et. al. 2014).

Generally, an artificial neural network is considered to model the way in which the brain performs a particular task or function of interest. The adaptivity and generalization are the essential capability of artificial neural network (Haykin, 2002). The ability to predict Lorenz attractor by using ANN has been investigated in many research studies (Pasini et. al. 2005, Sanjay et.al. 2005, Pasini 2008, Woolley 2010).

In this study, two basic approaches have been used to study the effect of anthropogenic forcing on the climate prediction. In the first approach, the Lorenz model is forced with the forcing parameters described in Mittal et. al. (2003, 2005) and then its predictability is assessed. In the second approach, the moving average is applied to the obtained time series of forced Lorenz model in order to assess effects of the moving average on its predictability.

The rest of this paper is structured as follows. In section 2, we cover the basic concept like methodology and ANN architectures used. Sections 3 will cover the results of this study. Finally, in section 4 conclusion of this study will be given.

2. BASIC CONCEPTS

The Lorenz-63 model is governed by three equations given as follows:

$$\begin{aligned}\frac{dx}{dt} &= -\sigma x + \sigma y \\ \frac{dy}{dt} &= -xz + \rho x - y \\ \frac{dz}{dt} &= xy - \beta z\end{aligned}\quad 1$$

The forcing terms F_x , F_y and F_z are added to the above Lorenz equations (Palmer 1994) in order to get Forced Lorenz model equations and it is represented by following system of equations:

$$\begin{aligned}\frac{dx}{dt} &= -\sigma x + \sigma y + F_x \\ \frac{dy}{dt} &= -xz + \rho x - y + F_y \\ \frac{dz}{dt} &= xy - \beta z + F_z\end{aligned}\quad 2$$

where, values of $\sigma = 10$, $\beta = 8/3$, $\rho = 28$. The Lorenz model exhibits chaotic behavior for these values of σ , β and ρ .

The prandtl number σ represents the ratio of the fluid viscosity to its thermal conductivity, ρ is the Rayleigh number and β is geometric number. According to studies by Mittal et. al. (2003, 2005) and Dwivedi et. al. 2007, the forced Lorenz model provides simplified mathematical analysis for forcing parameter values to be $F_x = aF$, $F_y = -F$, $F_z = 0$, where $F = 1.5$. The equation 2 is integrated upto 105,000 time steps using variable-order Adams–Bashforth–Moulton PECE (predictor–evaluate–corrector–evaluate) solver. In this study, the initial condition (1, 1, 1) and integration time step $Dt = 0.01$ is used. The 5000 initial transient points were discarded and the remaining points were assumed to belong to the Lorenz attractor.

2.1. Jacobian and Bred Vector Growth Rate

In this work we have used two dynamical methods for finding regions of error growth and decay as suggested in Mittal et.al. 2015. In the first method, regions of dynamical error growth and decay have been calculated by using Jacobian. In principal, the error growth rate lies between the minimum and maximum eigenvalues of symmetric Jacobian matrix J_s . If B is considered to be a region in which all the eigenvalues are negative, then all the infinitesimal perturbations will decrease irrespective of its orientation as long as the trajectory in B region. On the other hand, If R is considered to be a region in which all the eigenvalues are positive, then all the infinitesimal perturbations will increase irrespective of its orientation as long as the trajectory in R region.

In the second method, Bred vector growth rate has been used to calculate the region of error growth and decay (Pasini and Pelino 2005, Pasini 2008). A periodically rescaled difference between two model runs, starting from slightly different initial condition is known as bred vector. Evan et. al. 2004 had predicted transition of the regime in the Lorenz model by means of Bred vector growth rate.

The calculation of blue (B) and red (R) regions from symmetric Jacobian matrix J_s and B' and R' region have been done by using a similar method described in Mittal et.al. 2015 and for brevity it is not discussed here. In figure 1, the B and B' (specified by blue color) are the error decay regions, while R and R' (specified by red color) are the regions of error growth.




Figure 1

The left panel shows the forced Lorenz attractor plotted in blue (red), the maximum eigenvalues of J_s is negative (positive). The right panel shows the forced Lorenz attractor plotted in blue (red), the bred vector growth rate is negative (positive).

2.2. Artificial Neural Networks

In this study three ANN Architecture has been chosen. All these Neural Networks have their own mechanism and have been used in many studies for nonlinear time series predictions.

2.2.1 Multilayer Perceptron (MLP)

The MLP is also known as feed forward back propagation neural network. It can be used for nonlinear mapping from of input data to output data. The first layer is called the input layer, the last layer is called the output layer and the layers in between are hidden layers. Figure 2 shows the MLP architecture used in this study.




Figure 2 MLP architecture

2.2.2 Distributed Time Delay Neural Network (DTDNN)

Dynamic networks are used to make a neural network responsive to the temporal structure of information-bearing signals. Neural network is made dynamic by providing memory to it. The short-term memory to the neural network is given by using time delay. The time delay can be implemented into ANN at the synaptic level inside the network or in the input layer (Haykin, 2002). In DTDNN (shown in figure 3) implicit influence of time is distributed throughout the network. Such networks are constructed as the spatio-temporal neuron model on the basis of the multiple input neuronal filters.




Figure 3 DTDNN architecture




Figure 4 NARNET architecture

2.2.3 Nonlinear Auto Regressive Neural Network

Another type of network we use in our analysis is a nonlinear autoregressive neural network, or NARNET (shown in figure 4). It is a dynamic recurrent network based on Elman recurrent network architecture. In this type of network neurons depend not only on

external inputs, but also on their own lagged values. NAR (nonlinear autoregressive) neural networks can be trained to predict a time series from that series past values. Elman network builds “memory” in the evolution of neurons. This type of network is similar to moving-average (MA) process that is often used in financial time-series analysis. In the MA process, dependent variable y is a function of independent variables x as well as current and lagged values of a random shock ϵ .

3. RESULTS

In this study all ANN architectures are designed with one input layer, one hidden layer and one output layer. To overcome limitations of a linear dimensionality reduction ANN is designed with the sigmoidal activation function in the hidden layer and the linear activation function in the output layer. The Levenberg-Marquardt training algorithm (Bishop 1995), which minimizes the sum of squares error, has been chosen for training purpose of ANN.

The data was serially divided into two sets, namely Training set and Test set respectively in the ratio of 80% and 20%. The optimization of the model complexity for given training data set is done by using cross-validation techniques. To apply cross-validation technique, the training set was further divided into two random sets, Estimation set and Validation set in ratio 87.5% and 12.5%. The training is stopped by using early stopping criteria (Bishop 1995); when the error in the validation set start to increase as the network starts to over-fit. The network with the smallest error with respect to validation set is selected. The above mentioned approach is called hold-out method. Finally, the performance of Test set is assessed to confirm that there is no over fitting in the selected ANN. The number of hidden layer neurons is one of the important parameter while designing a neural network. In this study 20 neurons have been used in the hidden layer of all three ANN architectures. All ANN architectures have been trained several times in order to get best network performance.

In the present work, Prediction error was measured by taking the Euclidean distance between Lorenz data (target data) and ANN output. It has been used as a criterion for performance evaluation of the ANN model. The prediction errors for the training (estimation set) and test set were found similar in all cases. This insures that no over fitting occurred and thus, all the models have generalization capability. In Table 1 prediction errors of the forced Lorenz model by using ANN architectures is listed.

Table 1 Prediction Errors for Forced Lorenz model

Regions of error Growth/Decay	MLP		DTDNN		NARNET	
	Mean \pm Std	Median \pm iqr/2	Mean \pm Std	Median \pm iqr/2	Mean \pm Std	Median \pm iqr/2
Blue(B)	0.010 \pm 0.011	0.009 \pm 0.004	0.010 \pm 0.006	0.009 \pm 0.005	0.010 \pm 0.011	0.010 \pm 0.004
Red(R)	0.010 \pm 0.011	0.009 \pm 0.004	0.010 \pm 0.005	0.009 \pm 0.005	0.010 \pm 0.012	0.010 \pm 0.004
Blue'(B')	0.010 \pm 0.011	0.009 \pm 0.004	0.010 \pm 0.005	0.009 \pm 0.005	0.010 \pm 0.011	0.010 \pm 0.004
Red'(R')	0.010 \pm 0.012	0.009 \pm 0.004	0.010 \pm 0.005	0.009 \pm 0.005	0.010 \pm 0.012	0.010 \pm 0.004

Table 2 Prediction error with moving average window size = 40

Regions of error Growth/Decay	MLP		DTDNN		NARNET	
	Mean \pm Std	Median \pm iqr/2	Mean \pm Std	Median \pm iqr/2	Mean \pm Std	Median \pm iqr/2
Blue(B)	0.008 \pm 0.007	0.007 \pm 0.003	0.008 \pm 0.007	0.007 \pm 0.002	0.009 \pm 0.011	0.009 \pm 0.002
Red(R)	0.008 \pm 0.006	0.007 \pm 0.002	0.008 \pm 0.005	0.007 \pm 0.002	0.009 \pm 0.010	0.009 \pm 0.002
Blue'(B')	0.008 \pm 0.006	0.007 \pm 0.002	0.008 \pm 0.006	0.007 \pm 0.002	0.009 \pm 0.011	0.009 \pm 0.002
Red'(R')	0.008 \pm 0.006	0.007 \pm 0.002	0.008 \pm 0.009	0.007 \pm 0.002	0.009 \pm 0.011	0.009 \pm 0.002

On comparing ANN prediction results obtained in Mittal et.al. 2015 for the unforced Lorenz model with the results obtained for the forced Lorenz model (Table 1 in this study), it can be observed that the prediction errors are almost same in both cases. There is no significant decrease in prediction errors by forcing the Lorenz model. Although small increase in the number of data points is observed by using dynamical methods in the regions of dynamical error decay B and B'. The effect of moving average on the predictability of time series obtained by forced Lorenz model is listed in the Table 2, and 3 for moving average window length 40 and 120 steps respectively. It can be observed that the prediction errors for all ANN architectures are decreasing. It means that the predictability increases by applying moving average on the Lorenz model.

Table 3 Prediction error with moving average window size = 120

Regions of error Growth/Decay	MLP		DTDNN		NARNET	
	Mean \pm Std	Median \pm iqr/2	Mean \pm Std	Median \pm iqr/2	Mean \pm Std	Median \pm iqr/2
Blue(B)	0.006 \pm 0.006	0.005 \pm 0.002	0.006 \pm 0.006	0.005 \pm 0.002	0.006 \pm 0.007	0.005 \pm 0.002
Red(R)	0.006 \pm 0.006	0.005 \pm 0.002	0.006 \pm 0.005	0.005 \pm 0.002	0.006 \pm 0.005	0.005 \pm 0.002
Blue'(B')	0.006 \pm 0.006	0.005 \pm 0.003	0.006 \pm 0.005	0.005 \pm 0.002	0.006 \pm 0.005	0.005 \pm 0.002
Red'(R')	0.006 \pm 0.006	0.005 \pm 0.002	0.006 \pm 0.005	0.005 \pm 0.002	0.006 \pm 0.005	0.005 \pm 0.002

The correlation coefficient between ANN prediction errors and Max eigenvalues of J_s for all the above cases were found to be in the range of -0.04 to -0.01 which is significant at the 99.9% level. The correlation coefficient between ANN prediction errors and the bred vector growth rate for all the above cases were found to be in the range of -0.03 to -0.01 which is significant at the 99.9% level. The plot between ANN prediction errors and the bred vector growth rate is shown in figure 5 for all the three ANN architectures. It is clear from the figure that ANN prediction errors do not depend on the region of error growth and decay, for all the three ANN architectures because the spread of errors is almost similar in both cases (bred vector growth and decay).




Figure 5

ANN Prediction errors and bred vector growth rate (left panel for MLP, middle panel for DTDNN and right panel for NARNET)

4. CONCLUSION

The ANN prediction results listed in table 1, from which it can be concluded that none of the architectures revealed any significant change in predictability due to external forcing. Dwivedi et.al. 2007 have shown by using Lyapunov exponent as a measure of the predictability, that the effect of forcing on the predictability of attractor is small. This might be considered, as one of the possible reason that is why none of the ANN architecture is able to capture the increase in predictability due to forcing. Thus, finer tuning of parameters in ANN architectures is needed in case to capture the effect of forcing on the predictability of Lorenz model. It can be concluded from the table 2 and 3 that the moving average results to increase in the overall predictability of the system since prediction error decreases with the increase in length of the moving average window. Similar result of increase in the predictability of the forced Lorenz system by applying moving averages has been also found, with the help of Laypunov exponent and Shanon entropy, in a study by Dwivedi et.al. 2007. They have shown that with increase in length of moving average window size the largest Laypunov exponent and Shanon entropy decreases. Thus, the predictability of system increases. The attractor splits into more

regimes and occupies a small region due to forcing and increase in moving average window size. An attractor with small size has less saturation error and it results in increase in its predictability (Kennel et. al. 1994). Although, the forcing and moving average causes increase in predictability, but the results listed in table 1, 2 and 3 also reveals the non dependence of prediction by statistical methods on the region of dynamical error growth and decay since prediction errors in the error growth regions (R and R') are almost similar to the prediction error in error decay regions (B and B'). Finally, the results of this study suggest that because of the low computational cost of ANN and its non-dependence on local dynamics of the system, ANN may be more appropriate for short term climate prediction in regions of high dynamical error growth rate.

ACKNOWLEDGEMENT

The authors would like to thank Department of Science and Technology (DST) for providing financial assistance in the form of a research project.

REFERENCE

1. Bishop, C. M. (1995). *Neural networks for pattern recognition*. Oxford university press.
2. De Gooijer, J. G., & Hyndman, R. J. (2006). 25 years of time series forecasting. *International journal of forecasting*, 22(3), 443-473.
3. Dwivedi, S., Mittal, A. K., & Pandey, A. C. (2007). Effect of averaging timescale on a forced Lorenz model. *Atmosphere-Ocean*, 45(2), 71-79.
4. Evans, E., et al.(2004) "RISE: Undergraduates find that regime changes in Lorenz's model are predictable." *Bulletin of the American Meteorological Society*, 85(4), 520-524.
5. Gershenfeld, N. A., & Weigend, A. S. (1993). *The future of time series*. Xerox Corporation, Palo Alto Research Center.
6. Hatalis, K., Alnajjab, B., Kishore, S., & Lamadrid, A. (2014, December). Adaptive particle swarm optimization learning in a time delayed recurrent neural network for multi-step prediction. FOCL- 2014 IEEE Symposium on (pp. 84-91). IEEE.
7. Haykin S (2002) Neural networks. Pearson Education, New Delhi.
8. Kennel, M. B., Abarbanel, H. D., & Sidorowich, J. J. (1994). Prediction errors and local Lyapunov exponents. arXiv preprint [chaos-dyn/9403001](https://arxiv.org/abs/chaos-dyn/9403001).
9. Lorenz, E. N. (1963). Deterministic nonperiodic flow. *Journal of the atmospheric sciences*, 20(2), 130-141.
10. Mittal, A. K., Dwivedi, S., & Pandey, A. C. (2003). A study of the forced Lorenz model of relevance to monsoon predictability. *Indian Journal of Radio and Space Physics*, 32(4), 209-216.
11. Mittal, A. K., Dwivedi, S., & Pandey, A. C. (2005). Bifurcation analysis of a paradigmatic model of monsoon prediction. *Nonlinear Processes in Geophysics*, 12(5), 707-715.
12. Mittal, A. K., Singh, U. P., Tiwari, A., Dwivedi, S., Joshi, M. K., & Tripathi, K. C. (2015). Short-term predictions by statistical methods in regions of varying dynamical error growth in a chaotic system. *Meteorology and Atmospheric Physics*, 1-9.
13. Ouellette, J. A., & Wood, W. (1998). Habit and intention in everyday life: the multiple processes by which past behavior predicts future behavior. *Psychological bulletin*, 124(1), 54.
14. Pasini, A., & Pelino, V. (2005). Can we estimate atmospheric predictability by performance of neural network forecasting? The toy case studies of unforced and forced Lorenz models. *studies*, 11, 12.
15. Palmer, T. N. (1993). Extended-range atmospheric prediction and the Lorenz model. *Bulletin of the American Meteorological Society*, 74(1), 49-65.
16. Palmer, T. N. (1994). Chaos and predictability in forecasting the monsoons. *Proc. Ind. Natn. Sci. Acad.* 60 A: 57-66.
17. Pasini, A. (2008) External forcings and predictability in Lorenz model: an analysis via neural network modeling. *Il Nuovo Cimento* 31C(357):370
18. Sanjay Vasant Dudul, Prediction of a Lorenz chaotic attractor using two-layer perceptron neural network, *Applied Soft Computing*, Volume 5, Issue 4, July 2005, Pages 333-355, <http://dx.doi.org/10.1016/j.asoc.2004.07.005>.
19. Shukla, J. (1981). Dynamical predictability of monthly means. *Journal of the Atmospheric Sciences*, 38(12), 2547-2572.
20. Woolley, Jonathan W., P. K. Agarwal, and John Baker."Modeling and prediction of chaotic systems with artificial neural networks." *International journal for numerical methods in fluids*. 63.8 (2010): 989-1004.